



offer 2026 2027

Legend



BASIC RANGE

kategoria narzędzi wytwarzanych z tworzywa w 100% pochodzącego z recyklingu
a category of tools made from 100% recycled material

PEAKSNOW



STANDARD RANGE – 3 YEARS WARRANTY

kategoria narzędzi i akcesoriów o bardzo dobrych parametrach użytkowych, wytrzymałościowych i ergonomicznych, wykonanych z wysokiej jakości surowca, 3 lata gwarancji

a category of tools and accessories with very good performance, durability and ergonomics, made of high-quality raw material, 3-year warranty

PEAKSNOW



PREMIUM – 5 YEARS WARRANTY

kategoria narzędzi profesjonalnych o zaawansowanej konstrukcji, dopracowanej pod kątem wytrzymałości, wydajności i ergonomii, wykonanych z najwyższej jakości surowca, 5 lat gwarancji

a category of professional tools with advanced design, refined for strength, performance and ergonomics, made of the highest quality raw material, 5-year warranty



symbol
symbol



kod EAN
EAN code



ilość sztuk na europalecie
number of pieces on an Europalette



zmontowane
assembled



nie zmontowane
not assembled



nie zmontowane
not assembled



ilość sztuk - TIR
truck quantity



Follow us
to find
more!



Visit our website
www.prosperplast.pl

Making the right and informed decisions – combined with production technologies and continuous innovation have led to Prosperplast's rapid growth.

We think forward and ahead of time, so we can develop the best products on the market. With the growth of technology and continual evolution of consumer demands, our online presence had a makeover, so we can serve our B2B clients and help our B2C customers in a better online environment. Developing our new website we had three core objectives: to interest, inspire and educate. We can proudly say we have achieved all three goals and will continue growing our online platform to support our current and new customers on daily basis.

Our product offering is growing, so is our virtual world! Sign up to the Newsletter on our website to stay up to date with news from the world of Prosperplast.



Index regular offer





p. 14

SNOWER 55 ALUTUBE



p. 15

SNOWER 55 PROFI



p. 15

SNOWER 55 PROFI ERGO



p. 16

SNOWER 55D ALUTUBE



p. 17

SNOWER 55D PROFI



p. 17

SNOWER 55D PROFI ERGO



p. 24

ALUMAX



p. 24

ALUMAX S



p. 25

ALUMAX ERGO



p. 30

ERGOMETAL



p. 31

ALPE 50 TELESCOPIC



p. 31

STANDARD 1



p. 32

STANDARD 2



p. 32

NANGA CAR TELESCOPIC



p. 33

EVEREST



p. 33

LHOTSE



p. 38

ALUICE 50



p. 39

ALUICE 50 P



p. 39

SKANDYNAWIA 2



p. 40

ICE 1



p. 40

ICE 2



p. 41

ICE 3



p. 41

SHARKIE



p. 46

BOBO



p. 46

IGLOO COMFORT



p. 47

IGLOO COMFORT ALU



p. 47

KIDY



p. 48

LOAD BABY



p. 48

LOAD BABY ALU



p. 49

FOCUS BABY



p. 54

NANGA ECO CAR TELESCOPIC



p. 55

EVEREST ECO



p. 56

ARCTIC ECO



p. 56

ARCTIC L ECO

ask for MOQ special order





p. 62

ALPE 40 ECO TELESCOPIC



p. 62

NANGA ECO CAR



p. 63

NANGA ECO



p. 63

NANGA ECO CAR ALU



p. 64

NANGA ECO TELESCOPIC



p. 68

ALPINUS ERGOMETAL



p. 68

ALPINUS TELESCOPIC



p. 69

ERGONOMIC 1 A



p. 69

ERGONOMIC 2 A



p. 70

ERGO ALUTUBE



p. 70

ALPE 40 TELESCOPIC



p. 71

NANGA



p. 74

ICE SET



p. 75

FAMILY SET



p. 75

KID SET



p. 76

BOBO COMFORT



p. 76

BOBO COMFORT ALU



p. 77

IGLOO

SNOW MOVER

snow blower

	ILSM600
	S411 5905197369334
 not assembled	 +  30
 not assembled	 +  990



powder-coated metal handle Ø 20 mm

auger

steel edge





easiest way
to remove snow



click
system

Najbardziej ekologiczna opcja dostępna na rynku!
Ręczny pług do śniegu wyposażony w ślimakowy przenośnik wyrzucający śnieg na prawą stronę, co znacznie przyspiesza proces odśnieżania dużych powierzchni, również na terenie obiektów przemysłowych. Krawędź natarcia zabezpieczona aluminiowym okuciem. System połączenia sztyla z łyżką zgarniacza ułatwia montaż dla celów użytkowania i przechowywania. Mrozoodporny.

*The most eco-friendly option available on the market!
A hand powered manual snow blower shovel equipped with an auger that throws snow aside, which significantly speeds up snow removal from driveway and large areas, including industrial facilities.
The blade is reinforced with aluminum edge.
Click on/off connection system is a perfect solution for comfortable use and storage. Frostresistant.*

PEAKSNOW



series

PREMIUM

PROFESSIONAL SHOVELS



STRONG



DURABLE



FLEXIBLE



THERMO-STOP



4 SEASONS



PUSH & UNLOAD

c
o
m
p
o
n
e
n
t
s


two-position locking connector
which ensuring easy assembly
for use and disassembly for storage

reinforced construction

shaft tip

wide working
edge protected
with aluminum
edge

deep blade



Cenione przez użytkowników technicznie zaawansowane, profesjonalne i bardzo wytrzymałe narzędzia na długie lata. Wypróbowane w trudnych warunkach, trwałe i odporne.

Wysokie parametry użytkowe i ergonomiczne, konstrukcja dopracowana pod kątem wytrzymałości, wydajności i uniwersalności zastosowań. Zastosowane innowacyjne rozwiązania zapewniają bardzo wysoką ergonomię i komfort pracy.

Valued by users these technically advanced, professional and very durable tools will last you for many years to come. The range has been tried in extreme conditions and proved to be durable and resistant for weather conditions.

Their high performance and ergonomic design, manufacture with consistency and attention to details make them required by the professionals and every day users. The innovative solutions used in design and manufacturing will ensure very high ergonomic and comfort at work.



SNOWER 40



Wytrzymała wielozadaniowa łopata do całorocznych zastosowań, o świetnych parametrach technicznych, wyposażona w wygodną dwukomponentową rączkę. Krawędź natarcia zabezpieczona aluminium okuciem. Mrozoodporna. Zastosowano innowacyjny system połączenia sztyła z korpusem łopaty za pomocą obrotowego 2-biegunowego (dwupozycyjnego) łącznika blokującego, zapewniający łatwy montaż dla celów użytkowania i demontaż na czas przechowywania.

Durable multi-purpose shovel for all season purposes with excellent technical parameters, equipped with a 2-component convenient handle. The working edge is reinforced with an aluminum ferrule. Frost resistant. An innovative system of connecting the shovel with the blade using a rotating, 2 (two-position) locking connector which ensuring easy assembly for use and disassembly for storage.

SNOWER 40 ALUTUBE professional snow shovel

	IAR40TB
	R444 590519722257
	not assembled  300  200
	assembled  60
	not assembled  3900  3900
	assembled  1920



ergonomic two-component
D-grip IU-14

aluminium handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge

permanent fix
once click

TOTAL 1340 mm

354 mm

397 mm

140 mm



SNOWER 40 PROFI

professional snow shovel

	IAR40LXP
	R444 5905197222288
	not assembled 300 200
	assembled 60
	not assembled 3900 3900
	assembled 1920



ergonomic two-component
D-grip IU-14

profiled aluminium handle
rubber athermal cover

uni-pack system

aluminium
edge

easy to assemble
& disassemble
thanks to the
„twist“ connector

T O T A L 1450 mm

354 mm

397 mm

140 mm



SNOWER 40 PROFI ERGO

professional snow shovel

	IAR40EP
	R444 5905197222271
	not assembled 300 200
	assembled 60
	not assembled 3900 3900
	assembled 1920



ergonomic two-component
D-grip IU-14

ergonomic
profiled aluminium handle
rubber athermal cover

uni-pack system

aluminium
edge

easy to assemble
& disassemble
thanks to the
„twist“ connector

T O T A L 1430 mm

354 mm

397 mm

140 mm

SNOWER 50



Profesjonalna, wytrzymała łopata do odśnieżania, o świetnych parametrach technicznych i szerokiej krawędzi natarcia, zabezpieczonej aluminium okuciem. Wyposażona w wygodną dwukomponentową rączkę. Mrozoodporna. Zastosowano innowacyjny system połączenia sztyla z korpusem łopaty za pomocą obrotowego 2-biegunowego (dwupozycyjnego) łącznika blokującego, zapewniający łatwy montaż dla celów użytkowania i demontaż na czas przechowywania.

A professional, durable snow shovel with excellent technical parameters and a wide working edge protected with an aluminum ferrule. Equipped with a comfortable 2-component handle. Frost resistant. An innovative system of connecting the shovel with the blade using a rotating, 2 (two-position) locking connector which ensuring easy assembly for use and disassembly for storage.

SNOWER 50 ALUTUBE professional snow shovel

	IAR50TB
	R444 5905197222301
	not assembled  240  200
	assembled  50
	not assembled  3600  3600
	assembled  1600



ergonomic two-component
D-grip IU-14

aluminium handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge

permanent fix
once click

TOTAL 1320 mm

346 mm

497 mm

82 mm



SNOWER 50 PROFI

professional snow shovel

	IAR50LXP
	R444 5905197222332
	not assembled 240 200
	assembled 50
	not assembled 3600 3600
	assembled 1600



ergonomic two-component
D-grip IU-14

profiled aluminium handle
rubber athermal cover

uni-pack system

aluminium
edge

easy to assemble
& disassemble
thanks to the „twist”
connector

T O T A L 1430 mm

346 mm

497 mm

82 mm



SNOWER 50 PROFI ERGO

professional snow shovel

	IAR50EP
	R444 5905197222325
	not assembled 240 200
	assembled 50
	not assembled 3600 3600
	assembled 1600



ergonomic two-component
D-grip IU-14

ergonomic
profiled aluminium handle
rubber athermal cover

uni-pack system

aluminium
edge

easy to assemble
& disassemble
thanks to the „twist”
connector

T O T A L 1410 mm

346 mm

497 mm

82 mm

PEAKSNOW



SNOWER 55



Niezawodna, wydajna łopata do odśnieżania, o wzmocnionej konstrukcji, wytrzymującej silny nacisk i szerokiej krawędzi natarcia, zabezpieczonej aluminium okuciem. Wyposażona w wygodną dwukomponentową rączkę. Mrozoodporna. Zastosowano innowacyjny system połączenia sztyla z korpusem łopaty za pomocą obrotowego 2-biegunowego (dwupozycyjnego) łącznika blokującego, zapewniający łatwy montaż dla celów użytkowania i demontaż na czas przechowywania.

Reliable, efficient snow shovel with reinforced structure that withstands strong pressure and a wide working edge protected with aluminum ferrule. Equipped with a comfortable 2-component handle. Frost resistant. An innovative system of connecting the shovel with the blade using a rotating, 2 (two-position) locking connector which ensuring easy assembly for use and disassembly for storage.

PEAKSNOW



SNOWER 55 ALUTUBE professional snow shovel

	IAR55TB
	R444 5905197222356
	not assembled 240 200
	assembled 50
	not assembled 3600 3600
	assembled 1600



ergonomic two-component
D-grip IU-14

aluminium handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge

permanent fix
once click

T O T A L 1360 mm

385 mm

545 mm

89 mm



SNOWER 55 PROFI

professional snow shovel

	IAR55LXP
	R444 5905197222387
	not assembled 240 200
	assembled 50
	not assembled 3600 3600
	assembled 1600



ergonomic two-component
D-grip IU-14

profiled aluminium handle
rubber athermal cover

uni-pack system

aluminium
edge

easy to assemble
& disassemble
thanks to the „twist“
connector

T O T A L 1470 mm

385 mm

545 mm

89 mm



SNOWER 55 PROFI ERGO

professional snow shovel

	IAR55EP
	R444 5905197222370
	not assembled 240 200
	assembled 50
	not assembled 3600 3600
	assembled 1600



ergonomic two-component
D-grip IU-14

ergonomic
profiled aluminium handle
rubber athermal cover

uni-pack system

aluminium
edge

easy to assemble
& disassemble
thanks to the „twist“
connector

T O T A L 1450 mm

385 mm

545 mm

89 mm

SNOWER 55D



Bezkonkurencyjne, bardzo pojemne narzędzie do zadań specjalnych, o wzmocnionej konstrukcji, wytrzymującej silny nacisk i szerokiej krawędzi natarcia, zabezpieczonej aluminiowym okuciem. Wyposażona w wygodną dwukomponentową rączkę. Mrozoodporna. Zastosowano innowacyjny system połączenia sztyła z korpusem łopaty za pomocą obrotowego 2-biegunowego (dwupozycyjnego) łącznika blokującego, zapewniający łatwy montaż dla celów użytkowania i demontaż na czas przechowywania.

An unique, very capacious tool for special tasks with a reinforced structure that withstands strong pressure and a wide leading edge protected with an aluminum ferrule. Equipped with a comfortable 2-component handle. Frost resistant. An innovative system of connecting the shovel with the blade using a rotating, 2 (two-position) locking connector which ensuring easy assembly for use and disassembly for storage.

SNOWER 55D ALUTUBE professional snow shovel

	IARG55TB
	R444 5905197222400
	not assembled  160  200
	assembled  50
	not assembled  2880  2880
	assembled  1600



ergonomic two-component
D-grip LU-14

aluminium handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge





SNOWER 55D PROFI

professional snow shovel

	IARG55LXP
	R444 5905197222431
	not assembled 160 200
	assembled 50
	not assembled 2880 2880
	assembled 1600



ergonomic two-component
D-grip IU-14

profiled aluminium handle
rubber athermal cover

uni-pack system

aluminium
edge

easy to assemble
& disassemble
thanks to the „twist“
connector

TOTAL 1510 mm

427 mm

547 mm

131 mm



SNOWER 55D PROFI ERGO

professional snow shovel

	IARG55EP
	R444 5905197222424
	not assembled 160 200
	assembled 50
	not assembled 2880 2880
	assembled 1600



ergonomic two-component
D-grip IU-14

ergonomic
profiled aluminium handle
rubber athermal cover

uni-pack system

aluminium
edge

easy to assemble
& disassemble
thanks to the „twist“
connector

TOTAL 1510 mm

427 mm

547 mm

131 mm



Unikalna i progresywna myśl konstrukcyjna! To inteligentne rozwiązanie typu 2 w 1 zastosowane zostało dla podniesienie komfortu oraz efektywności grabienia i zagarniania sporych partii liści, trawy czy materiałów sypkich. Łopatograbie wyposażone są w duże, szeroko rozstawione zęby oraz aluminiowy sztyl i wygodną dwukomponentową rączkę. Mrozoodporne. Zastosowano innowacyjny system połączenia sztyla z korpusem za pomocą obrotowego 2-biegunowego (dwupozycyjnego) łącznika blokującego, zapewniający łatwy montaż dla celów użytkowania i demontaż na czas przechowywania.

Unique and progressive design idea! This smart 2in1 solution is designed to enhance comfort and efficiency when raking and scooping up large amounts of leaves, grass or loose materials. The rake loader features large, wide-spaced teeth, an aluminium haft and a comfortable two-component handle. Frost-proof. The innovative haft-to-body connection system with a 2-pole (two-position) rotating locking connector to enable easy installation for use and removal for storage was used.

RAKE LOADER

spade-rake / special task-tool 2in1

	ILG2		
	S411	5905197267654	
	not assembled	 300	 200
	assembled	 60	
	not assembled	 3900	 3900
	assembled	 1920	



ergonomic two-component
D-grip LU-14

profiled aluminium handle
rubber athermal cover

uni-pack system

easy to assemble
& disassemble
thanks to the „twist”
connector





DIABLO

professional shovel

	ILDB
	R444 5905197141596
	not assembled 160 300
	assembled 70
	not assembled 3360 3360
	assembled 2240



ERGOSPECIAL

professional shovel

	ILEX55
	B333 5905197141695
	not assembled 160 320
	assembled 70
	not assembled 3520 3520
	assembled 2240



SNOW MONSTER

professional pusher

	ILMON
	S411 5905197142302
	assembled  20
	assembled  660




powder-coated metal handle Ø 20 mm



uni-pack system

steel edge



easy to assemble
& disassemble





lock system

Bardzo wytrzymały wydajny zgarniacz do większych zastosowań, sprawdzający się przy odśnieżaniu dużych powierzchni, również na terenie obiektów przemysłowych. Zastosowano innowacyjne połączenie sztyla z łyżką zgarniacza, ułatwiające montaż dla celów użytkowania i przechowywania. Krawędź natarcia zabezpieczona stalowym okuciem. Mrozoodporny.

A heavy duty, effective pusher for snow removal from larger areas including industrial facilities. An innovative connection of a shaft and blade make it a perfect solution for usage comfort and storage. The blade is reinforced with steel edge. Frost resistant.

MAKALU

car shovel

	ILSN1
 CPNO	5905197140438
 assembled	 120
 assembled	 7920



polycarbonate D-grip IU-4

anodized aluminium
handle Ø 30 mm
click-system

polycarbonate





ALUEDGE

aluminium shovel

	ILEGM
	ALU 5905197142241
	assembled
	80
	assembled
	2640



D-grip IU-9

aluminium oval handle
rubber athermal cover

aluminium
edge



ALUEDGE ERGO

aluminium shovel

	ILEGDE
	ALU 5905197142258
	assembled
	80
	assembled
	2640



D-grip IU-9

aluminium ergonomic
oval handle
rubber athermal cover

aluminium
edge





ALUMAX

aluminium shovel

	ILMAXA
	ALU 5905197141541
	assembled
	80
	assembled
	2640



ALUMAX S

aluminium shovel

	ILMAXS
	ALU 5905197141558
	assembled
	80
	assembled
	2640





ALUMAX ERGO

aluminium shovel

	ILMAXAE
	5905197142135
	assembled
	80
	assembled
	2640



D-grip IU-9

aluminium ergonomic
oval handle
rubber athermal cover

aluminium
edge

TOTAL 1505 mm

375 mm

500 mm

65 mm



PEAKSNOW



series

STANDARD RANGE

SHOVELS & ACCESSORIES



STRONG



DURABLE



FLEXIBLE



THERMO-STOP



4 SEASONS



PUSH & UNLOAD

c
o
m
p
o
n
e
n
t
s

rubber athermal cover

aluminium handle

D-grip

click-system

aluminium edge

Niezawodne, mrozooodporne, wielozadaniowe narzędzia, wypróbowane w każdych warunkach. Wysokie parametry użytkowe i ergonomiczne, konstrukcja dopracowana pod kątem wytrzymałości, wydajności i uniwersalności zastosowań.

Frost-resistant, multi-purpose tools ensure their durability and reliability in all condition. Their high performance and ergonomic design, manufacture with consistency and attention to details make them required by the professionals and every day users.

click
system



PEAKSNOW



ALPIN 1 A

snow shovel

	IL1A
	B333 5905197140537
	not assembled 360 1440
	assembled 160
	not assembled 8640 8640
	assembled 5280



D-grip IU-8

wooden shaft Ø 31 mm

uni-pack system

aluminium edge



PEAKSNOW



ALPIN 2 A

snow shovel

	IL2A
	B333 5905197140544
	not assembled 300 1440
	assembled 100
	not assembled 7500 7500
	assembled 3300



D-grip IU-8

wooden shaft Ø 31 mm

uni-pack system

aluminium edge



PEAKSNOW



ALPIN 2 METAL

snow shovel

	IL2AMT
	B333 5905197141213
	not assembled 300 350
	assembled 75
	not assembled 5400 5400
	assembled 2475



PEAKSNOW



ALPIN 2 ALUTUBE

snow shovel

	IL2TB
	B333 5905197141237
	not assembled 300 350
	assembled 100
	not assembled 5400 5400
	assembled 3300




D-grip IU-4

powder-coated metal
handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge



490 mm

95 mm

T O T A L 1470 mm


375 mm

D-grip IU-4

aluminium handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge



490 mm

95 mm

T O T A L 1430 mm

375 mm

PEAKSNOW



ALPINUS METAL

snow shovel

	IL3MTA
	B333 5905197141268
	not assembled 160 350
	assembled 70
	not assembled 3680 3680
	assembled 2240



PEAKSNOW



ALPINUS ALUTUBE

snow shovel

	IL3TB
	B333 5905197141275
	not assembled 160 350
	assembled 70
	not assembled 3680 3680
	assembled 2240



D-grip IU-4

powder-coated metal
handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge



D-grip IU-4

aluminium handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge



PEAKSNOW



ALPINUS ALUTUBE ERGO

snow shovel

	IL3TBE
	B333 5905197441382
	not assembled 160 350
	assembled 70
	not assembled 3680 3680
	assembled 2240



D-grip IU-4

aluminium ergonomic handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium edge



PEAKSNOW



ERGOMETAL

snow shovel

	ILEFE
	B333 5905197141640
	not assembled 200 350
	assembled 100
	not assembled 4200 4200
	assembled 3300



D-grip IU-4

powder-coated metal ergonomic handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium edge



PEAKSNOW



ALPE 50 TELESCOPIC

snow shovel

	IL50TSC
	B333 5905197142074
	not assembled 300 250
	assembled 100
	not assembled 5400 5400
	assembled 3300



PEAKSNOW



STANDARD 1

snow shovel

	ILN1
	B333 5905197141725
	not assembled 240 1060
	assembled 90
	not assembled 5760 5760
	assembled 2970



D-grip IU-11

telescopic system

aluminium
handle Ø 26/30 mm
athermal cover

uni-pack system

aluminium
edge



D-grip IU-4

wooden shaft Ø 36 mm



PEAKSNOW



STANDARD 2

snow shovel

	ILN2
	B333 5905197141732
	not assembled 160 1000
	assembled 90
	not assembled 4160 4160
	assembled 2970



D-grip IU-4

wooden shaft Ø 36 mm

aluminium edge



395 mm



160 mm

T O T A L 1335 mm

480 mm

PEAKSNOW



NANGA CAR TELESCOPIC

car shovel

	ILNGTSC
	B333 5905197141435
	assembled 120
	assembled 7920



D-grip IU-11

aluminium handle Ø 26/30 mm telescopic system

uni-pack system



300 mm



85 mm

T O T A L 800 ▶ 1000 mm

335 mm

PEAKSNOW



EVEREST

car shovel

	ILS1
	B333 5905197140551
	assembled 140
	assembled 9240



D-grip IU-5

anodized aluminium
handle Ø 30 mm
click-system

uni-pack system



PEAKSNOW



LHOTSE

car shovel

	ILHOT
	B333 5905197141633
	assembled 120
	assembled 7920



D-grip IU-5

anodized aluminium
handle Ø 30 mm
click-system

uni-pack system



PEAKSNOW



SNOW RIDER 1

pusher

	ILSR1
B333	5905197097329
R411	5905197094397
	not assembled + 50
	assembled 30
	not assembled + 3300
	assembled 990



powder-coated metal handle Ø 20 mm

uni-pack system

aluminium edge

wheels

TOTAL 1300 mm

425 mm

800 mm

95 mm

PEAKSNOW



ARCTIC

pusher

	ILB
B333	5905197140575
	not assembled + 50
	assembled 30
	not assembled + 3300
	assembled 990



powder-coated metal handle Ø 20 mm

uni-pack system

aluminium edge

wheels

TOTAL 1270 mm

440 mm

800 mm

115 mm

PEAKSNOW



ARCTIC L

pusher

	ILL
	B333 5905197141701
	not assembled 100 100
	assembled 18
	not assembled 1600 1600
	assembled 594



powder-coated metal handle Ø 22 mm

uni-pack system

aluminium edge

wheels

TOTAL 1495 mm

705 mm

670 mm

220 mm

PEAKSNOW



ARCTIC XL

pusher

	ILXL
	B333 5905197141718
	not assembled 80 80
	assembled 15
	not assembled 1280 1280
	assembled 495



powder-coated metal handle Ø 22 mm

uni-pack system

aluminium edge

wheels

TOTAL 1460 mm

705 mm

860 mm

225 mm

PEAKSNOW



STRONGMAN 60


pusher

	ILZM60
 	5905197141398
 assembled	 20
 assembled	 660



powder-coated metal handle Ø 25 mm

steel edge



PEAKSNOW



STRONGMAN 80


pusher


	ILZM80		
 	5905197141404		
	assembled		12
	assembled		396



powder-coated metal handle Ø 25 mm

steel edge





PEAKSNOW



ALUICE 40

aluminium shovel

	ILAL40
	ALU 5905197141749
	not assembled 600 1500
	assembled 60
	not assembled 12000 12000
	assembled 1980



wooden shaft Ø 30 mm



PEAKSNOW



ALUICE 50

aluminium shovel

	ILAL50
	ALU 5905197141756
	not assembled 600 1500
	assembled 60
	not assembled 12000 12000
	assembled 1980



wooden shaft Ø 30 mm



PEAKSNOW



ALUICE 50 P

aluminium shovel

	ILALP5
	ALU 5905197141619
	not assembled 400 1000
	assembled 60
	not assembled 8000 8000
	assembled 1980



PEAKSNOW



SKANDYNAWIA 2

aluminium shovel

	ILSK2
	ALU 5905197140506
	not assembled 600 1060
	assembled 80
	not assembled 12000 12000
	assembled 2640



D-grip IU-4

wooden shaft Ø 30 mm

aluminium edge



TOTAL 1450 mm


360 mm

500 mm

60 mm

D-grip IU-4

wooden shaft Ø 36 mm



TOTAL 1500 mm

350 mm

340 mm

55 mm

PEAKSNOW




ICE 1

ice hammer

	ICE1
	5905197199504
	assembled 600
	assembled 19800



wooden shaft Ø 28 mm



PEAKSNOW




ICE 2

ice hammer

	ICE2
	5905197199511
	assembled 600
	assembled 19800



wooden shaft Ø 28 mm



PEAKSNOW



ICE 3

ice hammer

	ICE3
	STEEL 5905197199481
	assembled 300
	assembled 9900



wooden shaft Ø 28 mm



SHARKIE

multipurpose spreading shovel

	ISSS
	8333/S411 5905197199542
	G642/S411 5905197067070
	assembled 960
	assembled 31680



KAJ

ice scraper

	IZS1		
	MIX	5905197190303	
	B333		R444
	116C		G800
	S411		
	pcs		24000
	pcs		792000



GERDA

ice scraper

	IZS2		
	MIX	5905197190310	
	B333		R444
	116C		G800
	S411		
	pcs		7680
	pcs		253440



ALASKA

ice scraper

	IZS3	
	MIX	5905197190327
B333 R444 116C G800 S411		
	pcs	 9600
	pcs	 316800



ALASKA PLUS

ice scraper

	IZS3A	
	MIX	5905197190334
	assembled	 2880
	assembled	 95040



FROST

ice scraper


	IZS4		
	MIX	5905197190341	
			
			
	pcs		9600
	pcs		316800



ICE CAR 1

ice scraper – snow & ice

	IZCAR1		
	MIX	5905197190402	
			
			
	assembled		1440
	assembled		47520



ICE CAR 2


folding set 2in1 – snow & ice

	IZCAR2
 MIX	5905197190419
B333/S411 R444/S411 1166/S411 G800/S411	
 assembled	 1440
 assembled	 47520



brush
easy to assemble & disassemble

smooth rubber
squeegee



BOBO

multi-purpose shovel

	ILO1		
	3005U	5905197140452	
	1788C	5905197095639	
	205C	5905197096803	
	pcs/not assembled	 960	 2000
	pcs/assembled	 150	
	pcs/not assembled	 21120	 21120
	pcs/assembled	 9900	



IGLOO COMFORT

multi-purpose shovel

	ILM2		
	3005U	5905197140483	
	1788C	5905197094069	
	pcs/not assembled	 840	 2000
	pcs/assembled	 150	
	pcs/not assembled	 19320	 19320
	pcs/assembled	 9900	



IGLOO COMFORT ALU

multi-purpose shovel

	ILM2A	
	3005U	5905197140377
	pcs/assembled	 150
	pcs/assembled	 9900





KIDY

multi-purpose shovel

	ILCH	
	3005U	5905197480077
	361C	5905197480084
	1788C	5905197480053
	205C	5905197480060
	pcs	 6/12
	pcs	 288
	pcs	 9504






LOAD BABY

multi-purpose shovel

	IBLD	
	3005U	5905197979847
	361C	5905197979854
	1788C	5905197979830
	pcs/not assembled	 1200  3600
	pcs/assembled	 384
	pcs/not assembled	 30000  30000
	pcs/assembled	 12672



wooden shaft Ø 22 mm



LOAD BABY ALU

multi-purpose shovel

	IBLA	
	3005U	5905197979816
	361C	5905197979823
	1788C	5905197979809
	pcs/assembled	 384
	pcs/assembled	 12672



D-grip IU-1

aluminium handle Ø 22 mm






FOCUS BABY

rake

	IBDG		
	3005U		5905197979786
	361C		5905197979793
	1788C		5905197979779
	pcs/not assembled	 2240	 3600
	pcs/assembled	 384	
	pcs/not assembled	 44800	 44800
	pcs/assembled	 12672	

wooden shaft Ø 22 mm





series

BASIC RANGE

SHOVELS



DURABLE



FLEXIBLE



4 SEASONS



THERMO-STOP




MULTI-PURPOSE

Nasze produkty projektowane są w taki sposób, aby ich recykling był możliwy i jak najprostszy. Zaawansowana technologia przetwarzania własnych tworzyw sztucznych pozwala na ponowne wykorzystanie powstałego surowca jako głównego składnika tworzywa. Narzędzia z serii BASIC RANGE potwierdzają, że produkty pochodzące z recyklingu są tak samo niezawodne, skuteczne oraz atrakcyjne wizualnie, jak artykuły wykonane z pierwotnego surowca.

Our products are designed in a way to reach the highest example of recent inventions in the world of plastic recycling and sustainability. The advanced technology of re-processing our materials allows us to reuse the material as the main component in any next production. BASIC Range is the best proof and confirms that products from recycling are just as reliable, effective and visually appealing as articles made of the original raw material.

zero waste
circular economy





PRACTIC ECO

snow shovel

	ILT37
	S411 5905197141312
	not assembled 480 1440
	assembled 160
	not assembled 10560 10560
	assembled 5280



NONAME 41 ECO

snow shovel

	ILT41
	S411 5905197141763
	not assembled 360 1440
	assembled 160
	not assembled 8640 8640
	assembled 5282



D-grip IU-5

wooden shaft Ø 31 mm

uni-pack system

steel edge

TOTAL 1135 mm

300 mm

370 mm

92 mm

D-grip IU-5

wooden shaft Ø 31 mm

uni-pack system

steel edge

TOTAL 1230 mm

320 mm

410 mm

92 mm



NONAME 47 ECO

snow shovel

	ILT47
	S411 5905197141770
	not assembled 300 1440
	assembled 100
	not assembled 7500 7500
	assembled 3300



ALPINUS ECO

snow shovel

	ILT55
	S411 5905197141329
	not assembled 160 1440
	assembled 70
	not assembled 4480 4480
	assembled 2240



D-grip IU-5

wooden shaft Ø 31 mm

uni-pack system

steel edge

TOTAL 1260 mm

350 mm

470 mm

98 mm

D-grip IU-5

wooden shaft Ø 31 mm

uni-pack system

aluminium edge

TOTAL 1400 mm

385 mm

550 mm

105 mm



ALPIN ALUTUBE ECO

snow shovel

	ILT2TB
	S411 5905197141343
	not assembled 300 350
	assembled 100
	not assembled 5400 5400
	assembled 3300



ALPINUS ALUTUBE ECO

snow shovel

	ILT3TB
	S411 5905197141350
	not assembled 160 350
	assembled 70
	not assembled 3680 3680
	assembled 2240



D-grip IU-4

aluminium handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge



D-grip IU-4

aluminium handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge





ALPE 50 ECO TELESCOPIC

snow shovel

	ILT50TSC
	S411 5905197141473
	not assembled 300 250
	assembled 100
	not assembled 5400 5400
	assembled 3300



NANGA ECO CAR TELESCOPIC

car shovel

	ILTNGTSC
	S411 5905197141992
	assembled 120
	assembled 7920



D-grip IU-11

telescopic system

aluminium handle Ø 26/30 mm
athermal cover

uni-pack system

aluminium
edge

TOTAL 1220 ▲ 1600 mm

375 mm

490 mm

95 mm

D-grip IU-11

aluminium handle Ø 26/30 mm
telescopic system

uni-pack system

TOTAL 800 ▲ 1000 mm

335 mm

300 mm

85 mm



EVEREST ECO

car shovel



ILTEV



S411

5905197141336



assembled



140



assembled




9240



D-grip IU-5

aluminium handle Ø 30 mm
click-system

uni-pack system



265 mm



90 mm

340 mm TOTAL 695 ▶ 725 ▶ 830 mm






ARCTIC ECO

pusher

	ILTB
	S411 5905197141367
	not assembled + 50
	assembled 30
	not assembled + 3300
	assembled 990



powder-coated metal handle Ø 20 mm

uni-pack system

aluminium edge

wheels

TOTAL 1270 mm

440 mm

800 mm


115 mm



ARCTIC L ECO

pusher

	ILTL
	S411 5905197141374
	not assembled 100 100
	assembled 18
	not assembled 1600 1600
	assembled 594



powder-coated metal handle Ø 22 mm

uni-pack system

aluminium edge

wheels

TOTAL 1495 mm

705 mm

670 mm

220 mm



ASK FOR MOQ


YOUR OWN COMPOSITION OF VARIOUS
COLOURS & CUSTOMIZED FUNCTIONALITY

offer

SPECIAL ORDER




C
O
M
P
O
N
E
N
T
S



telescopic handle

wooden shaft

aluminium
or powder-coated
metal handle



Wychodząc naprzeciw potrzebom rynku, obok produkcji seryjnej, realizujemy również zamówienia uwzględniające indywidualne potrzeby i preferencje. Szeroka gama oferowanych przez nas komponentów zapewnia konfigurację kompletnego narzędzia od podstawowych rozwiązań ogólnego stosowania po zaawansowane technicznie, wielozadaniowe warianty, umożliwiające maksymalizację wydajności. Segment SPECIAL ORDER pozwala również na niemal nieograniczony dobór kolorów.

In response to growing market demand, along with standard production, we are welcome any orders with individual needs and preferences. The wide range of components and materials we offer make it for us possible to fulfill orders almost in any configuration with diverse solutions, technical requests, multi-tasking varieties, efficiency. SPECIAL ORDER range also allows us to create an endless colour selection.

double
grip





PRACTIC ECO STANDARD

snow shovel


	ILT375
	S411 5905197141428
	not assembled 480 1440
	assembled 160
	not assembled 10560 10560
	assembled 5280



NONAME 41 ECO STANDARD

snow shovel

	ILT41S
	S411 5905197141442
	not assembled 360 1440
	assembled 160
	not assembled 8640 8640
	assembled 5282





CLEAN SET ECO

multi-purpose set 2in1

	ILTCL1
	S411 5905197142036
	assembled 45
	assembled 1485



ICE SET ECO

multi-purpose set 2in1

	ILTICE1
	S411 5905197142005
	assembled 70
	assembled 2310

D-grip IU-5

wooden shaft Ø 22 mm

NONAME 41 ECO

wooden shaft Ø 31 mm

steel edge



410 mm



92 mm

320 mm

TOTAL 1230 / 1670 mm

D-grip IU-5

ICE 1

wooden shaft Ø 28 mm

NONAME 41 ECO

wooden shaft Ø 31 mm

steel edge



410 mm



92 mm

320 mm

TOTAL 1230 mm



ALPIN ALUTUBE ERGO ECO

snow shovel

	ILT2TBE
	S411 5905197141480
	not assembled 300 350
	assembled 100
	not assembled 5400 5400
	assembled 3300



ALPINUS ALUTUBE ERGO ECO

snow shovel

	ILT3TBE
	S411 5905197141954
	not assembled 160 350
	assembled 70
	not assembled 3680 3680
	assembled 2240



D-grip IU-4

aluminium ergonomic
handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge



D-grip IU-5

aluminium ergonomic
handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge





ALPE 40 ECO TELESCOPIC

snow shovel

	ILT40TSC
	S411 5905197141466
	not assembled
	not assembled
	360
	5760
	250
	5760



NANGA ECO CAR

car shovel

	ILTNG
	S411 5905197141978
	not assembled
	not assembled
	420
	9240
	3500
	130
	4290
	9240
	4290



D-grip IU-11

telescopic system

aluminium handle Ø 26/30 mm
athermal cover

uni-pack system

aluminium
edge

TOTAL 1220 ▲ 1580 mm

320 mm

410 mm

80 mm

D-grip IU-5

wooden shaft Ø 31 mm

uni-pack system

TOTAL 800 mm

335 mm

300 mm

85 mm



NANGA ECO

snow shovel

	ILT30
	S411 5905197141411
	not assembled 420 1440
	assembled 184
	not assembled 9240 9240
	assembled 5888



NANGA ECO CAR ALU

car shovel

	ILTNGA
	S411 5905197141985
	assembled 140
	assembled 9240





NANGA ECO TELESCOPIC

snow shovel

	ILT30TSC
	S411 5905197141459
	assembled 120
	assembled 7920



D-grip IU-11

telescopic system

aluminium handle Ø 26/30 mm
athermal cover

uni-pack system



PEAKSNOW



ALPIN 1

snow shovel

	IL1
	B333 5905197740515
	not assembled 360 1440
	assembled 160
	not assembled 8640 8640
	assembled 5280



PEAKSNOW



ALPIN 2

snow shovel

	IL2
	B333 5905197740522
	not assembled 300 1440
	assembled 100
	not assembled 7500 7500
	assembled 3300



D-grip IU-8

wooden shaft Ø 31 mm

uni-pack system

steel edge



D-grip IU-8

wooden shaft Ø 31 mm

uni-pack system

steel edge



ASK FOR MOQ | special order

PEAKSNOW



ALPIN 2 ALUTUBE ERGO

snow shovel

	IL2TBE
	B333 5905197142067
	not assembled 300 350
	assembled 100
	not assembled 5400 5400
	assembled 3300



PEAKSNOW



ALPINUS A

snow shovel

	IL3A
	B333 5905197141251
	not assembled 160 1440
	assembled 70
	not assembled 4480 4480
	assembled 2240



D-grip IU-4

aluminium ergonomic
handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge



D-grip IU-8

wooden shaft Ø 31mm

uni-pack system

aluminium
edge



PEAKSNOW



ALPINUS METAL

snow shovel

	RL3AMT
	R395 5905197131030
	not assembled 160 350
	assembled 70
	not assembled 3680 3680
	assembled 2240



PEAKSNOW



ALPINUS ERGOMETAL

snow shovel

	IL3FE
	B333 5905197141282
	not assembled 160 350
	assembled 70
	not assembled 3680 3680
	assembled 2240



D-grip IU-4

powder-coated metal
handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge



D-grip IU-4

powder-coated metal
ergonomic handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge



PEAKSNOW



ALPINUS ERGOMETAL snow shovel

	RL3FE
	R395 5905197131047
	not assembled 160 350
	assembled 70
	not assembled 3680 3680
	assembled 2240



PEAKSNOW



ALPINUS TELESCOPIC snow shovel

	IL55TSC
	B333 5905197142081
	not assembled 160 250
	not assembled 3680 3680




D-grip IU-4

powder-coated metal
ergonomic handle Ø 30 mm
rubber athermal cover

uni-pack system

aluminium
edge



550 mm

105 mm

TOTAL 1460 mm

385 mm


D-grip IU-11

telescopic system

aluminium handle Ø 26/30 mm
athermal cover

uni-pack system

aluminium
edge



550 mm

105 mm

TOTAL 1460 mm

385 mm

PEAKSNOW



ERGONOMIC 1 A

snow shovel

	ILE1A
	B333 5905197141664
	not assembled 360 1440
	assembled 160
	not assembled 8640 8640
	assembled 5280



PEAKSNOW



ERGONOMIC 2 A

snow shovel

	ILE2A
	B333 5905197141688
	not assembled 200 1440
	assembled 100
	not assembled 4800 4800
	assembled 3300



D-grip IU-6

wooden shaft Ø 31 mm

uni-pack system

aluminium edge

TOTAL 1500 mm

305 mm

410 mm

85 mm

D-grip IU-6

wooden shaft Ø 31 mm

uni-pack system

aluminium edge

TOTAL 1545 mm

385 mm

505 mm

90 mm

special order

ASK FOR MOQ

PEAKSNOW



ERGO ALUTUBE

snow shovel

	ILETB		
	B333	5905197141305	
	not assembled	200	350
	assembled	100	
	not assembled	4200	4200
	assembled	3300	



PEAKSNOW



ALPE 40 TELESCOPIC

snow shovel

	IL40TSC		
	B333	5905197142050	
	not assembled	360	250
	not assembled	5760	5760



PEAKSNOW



NANGA

snow shovel

	IL30
	B333 5905197142043
	not assembled 420 1440
	assembled 184
	not assembled 9240 9240
	assembled 5888



PEAKSNOW



LHOTSE [+ SACK]

snow shovel

	ILHOTW
	B333 5905197142234
	assembled 120
	assembled 7920



D-grip IU-5

wooden shaft Ø 31 mm

uni-pack system



D-grip IU-5

anodized aluminium
handle Ø 30 mm

click-system

sack



ASK FOR MOQ | special order

PEAKSNOW



SNOW RIDER 2

pusher

	ILSR2
	S411 5905197140582
	not assembled + 30
	assembled 30
	not assembled + 1980
	assembled 990



powder-coated metal handle Ø 22 mm

uni-pack system

aluminium edge

wheels



PEAKSNOW



ALUICE 40 P

aluminium shovel

	ILALP4
	ALU 5905197141602
	not assembled 600 1500
	assembled 60
	not assembled 12000 12000
	assembled 1980



D-grip IU-4

wooden shaft Ø 30 mm

aluminium edge



PEAKSNOW



SKANDYNAWIA STANDARD

aluminium shovel

	ILSK2S
	ALU 5905197140391
	not assembled 600 1500
	assembled 80
	not assembled 12000 12000
	assembled 2640



wooden shaft $\varnothing$ 36 mm




PEAKSNOW



RUBBER COVER

for ICE 1 - ICE 2 - ICE 3




ASK FOR MOQ | special order



CLEAN SET

multi-purpose set 2in1


	ZCLE1
	B333 5905197199023
	assembled 45
	assembled 1485



ICE SET

multi-purpose set 3in1

	ZICE1
	B333 STEEL 5905197199016
	assembled 70
	assembled 2310



PEAKSNOW



FAMILY SET

multi-purpose set 2in1

	ZFAM
	B333 1788C 5905197199047
	assembled 70
	assembled 2310



PEAKSNOW



KID SET

multi-purpose set for kids 2in1

	ZKID
	3005U 1788C 5905197199030
	pcs/assembled 100
	pcs/assembled 3300



ALPIN 1 A

D-grip IU-8
wooden shaft Ø 31 mm

IGLOO COMFORT

D-grip IU-1
wooden shaft Ø 24 mm

aluminium
edge




D-grip IU-1

lightweight brush
wooden shaft

IGLOO COMFORT

wooden shaft Ø 24 mm



ASK FOR MOQ | special order

BOBO COMFORT

multi-purpose shovel

	IL02
 3005U	5905197140469
 1788C	5905197069661
	pcs/not assembled  960  2000
	pcs/assembled  150
	pcs/not assembled  21120  21120
	pcs/assembled  9900



BOBO COMFORT ALU

multi-purpose shovel

	IL02A
 3005U	5905197140384
 1788C	5905197095646
	pcs/assembled  150
	pcs/assembled  9900



D-grip IU-1

wooden shaft Ø 24 mm

uni-pack system



250 mm

50 mm

TOTAL 900 mm

200 mm

D-grip IU-1

aluminium handle Ø 22 mm

uni-pack system



250 mm

50 mm

TOTAL 900 mm

200 mm

IGLOO

multi-purpose shovel

	ILM1
	3005U 5905197140476
	1788C 5905197095714
	205C 5905197097305
	pcs/not assembled  840  2000
	pcs/assembled  150
	pcs/not assembled  19320  19320
	pcs/assembled  9900



wooden shaft Ø 24 mm

uni-pack system



290 mm



60 mm

TOTAL 900 mm



MAJSTER

professional shovel

	ILMSTA
	B333 5905197141572
	not assembled  200  300
	assembled  70
	not assembled  4200  4200
	assembled  2240



D-grip IU-9


aluminium oval handle
rubber athermal cover



uni-pack system



aluminium
edge



505 mm



98 mm

TOTAL 1570 mm



DIABLO ERGO

professional shovel

	ILDBE
	R444 5905197142203
	not assembled 160 300
	assembled 70
	not assembled 3360 3360
	assembled 2240



ERGOSPECIAL S

professional shovel

	ILEXS
	B333 5905197141565
	not assembled 160 320
	assembled 70
	not assembled 3520 3520
	assembled 2240





ERGOSPECIAL C

professional shovel

	ILEX55C
	B333 5905197142296
	not assembled 160 160
	assembled 70
	not assembled 2560 2560
	assembled 2240



ERGOSPECIAL C

professional shovel

	RLEX55
	R395 5905197131078
	not assembled 160 160
	assembled 70
	not assembled 2560 2560
	assembled 2240



Category index

BASIC SHOVELS WITH WOODEN SHAFT



ALPIN 1

p. 65



ALPIN 1 A

p. 27



ALPIN 2

p. 65



ALPIN 2 A

p. 27



ALPINUS A

p. 66



ERGONOMIC 1 A

p. 69



ERGONOMIC 2 A

p. 69



STANDARD 1

p. 31



STANDARD 2

p. 32



NANGA

p. 71



PRACTIC ECO STANDARD

p. 59



PRACTIC ECO

p. 51



NONAME 41 ECO STANDARD

p. 59



NONAME 41 ECO

p. 51



NONAME 47 ECO

p. 52



ALPINUS ECO

p. 52



NANGA ECO

p. 63



ALPE 40 TELESCOPIC

p. 70



ALPE 50 TELESCOPIC

p. 31



NANGA CAR TELESCOPIC

p. 32



ALPINUS TELESCOPIC

p. 68

TELESCOPIC SYSTEM



ALPE 40 ECO TELESCOPIC

p. 62



ALPE 50 ECO TELESCOPIC

p. 54



NANGA ECO CAR TELESCOPIC

p. 54



NANGA ECO TELESCOPIC

p. 64



SHOVELS WITH METAL HANDLE

	p. 10		p. 11		p. 11		p. 12		p. 13
SNOWER 40 ALUTUBE		SNOWER 40 PROFI		SNOWER 40 PROFI ERGO		SNOWER 50 ALUTUBE		SNOWER 50 PROFI	
	p. 13		p. 14		p. 15		p. 15		p. 16
SNOWER 50 PROFI ERGO		SNOWER 55 ALUTUBE		SNOWER 55 PROFI		SNOWER 55 PROFI ERGO		SNOWER 55D ALUTUBE	
	p. 17		p. 17		p. 18		p. 19		p. 78
SNOWER 55D PROFI		SNOWER 55D PROFI ERGO		RAKE LOADER		DIABLO		DIABLO ERGO	
	p. 77		p. 19		p. 78		p. 79		p. 79
MAJSTER		ERGOSPECIAL		ERGOSPECIAL S		ERGOSPECIAL C		ERGOSPECIAL C	
	p. 28		p. 28		p. 66		p. 29		p. 30
ALPIN 2 METAL		ALPIN 2 ALUTUBE		ALPIN 2 ALUTUBE ERGO		ALPINUS ALUTUBE		ALPINUS ALUTUBE ERGO	
	p. 29		p. 67		p. 67		p. 68		p. 30
ALPINUS METAL		ALPINUS METAL		ALPINUS ERGOMETAL		ALPINUS ERGOMETAL		ERGOMETAL	
	p. 70		p. 53		p. 61		p. 53		p. 61
ERGO ALUTUBE		ALPIN ALUTUBE ECO		ALPIN ALUTUBE ERGO ECO		ALPINUS ALUTUBE ECO		ALPINUS ALUTUBE ERGO ECO	

Category index

PUSHER SERIES



SNOW MOVER

p. 6



SNOW MONSTER

p. 20



SNOW RIDER 2

p. 72



SNOW RIDER 1

p. 34



ARCTIC

p. 34



ARCTIC L

p. 35



ARCTIC XL

p. 35



ARCTIC ECO

p. 56



ARCTIC L ECO

p. 56



STRONGMAN 60

p. 36



STRONGMAN 80

p. 36

ALUMINIUM SHOVELS



ALUEDGE

p. 23



ALUEDGE ERGO

p. 23



ALUMAX

p. 24



ALUMAX S

p. 24



ALUMAX ERGO

p. 25



ALUICE 40

p. 38



ALUICE 40 P

p. 72



ALUICE 50

p. 38



ALUICE 50 P

p. 39



SKANDYAWIA STANDARD

p. 73



SKANDYAWIA 2

p. 39

ICE & ACCESSORIES



ICE 1

p. 40



ICE 2

p. 40



ICE 3

p. 41



RUBBER COVER for ICE 1, ICE 2, ICE 3

p. 73



SHARKIE

p. 41

CAR SHOVELS & ACCESSORIES



p. 33

EVEREST



p. 33

LHOTSE



p. 71

LHOTSE [+ SACK]



p. 32

NANGA CAR TELESCOPIC



p. 22

MAKALU



p. 55

EVEREST ECO



p. 62

NANGA ECO CAR



p. 63

NANGA ECO CAR ALU



p. 54

NANGA ECO CAR TELESCOPIC



p. 42

KAJ



p. 42

GERDA



p. 43

ALASKA



p. 43

ALASKA



p. 44

FROST



p. 44

ICE CAR 1



p. 45

ICE CAR 2

SET



p. 74

CLEAN SET



p. 74

ICE SET



p. 75

FAMILY SET



p. 75

KID SET



p. 60

CLEAN SET ECO



p. 60

ICE SET ECO



FOR KIDS



p. 46

BOBO



p. 76

BOBO COMFORT



p. 76

BOBO COMFORT ALU



p. 77

IGLOO



p. 46

IGLOO COMFORT



p. 47

IGLOO COMFORT ALU



p. 47

KIDY



p. 48

LOAD BABY



p. 48

LOAD BABY ALU



p. 49

FOCUS BABY



p. 75

KID SET




Constantly launching an innovative, diversified and high quality products and being a reliable partner, we managed to succeed on the market in different parts of the world.

Currently our products are successfully distributed to more than 90 countries worldwide and the number of satisfied customers is increasing each year!





over 90 countries worldwide





Logistics & packing method





Contact us

Poland

Headquarter, Production & Warehouse

Prosperplast 1 Sp. z o. o.
Wilkowska 968
43-378 Rybarzowice
Poland

tel. +48 33 817 70 03
fax +48 33 817 60 81

biuro@prosperplast.pl
office@prosperplast.pl
www.prosperplast.pl

Germany

Office

Prosperplast Deutschland GmbH
Hopfenstraße 22a
85283 Wolnzach
Germany

tel. +49 8442 9628499
fax +49 8442 9680853

kontakt@prosperplast.de
www.prosperplast.de

Czech Republic

Office & Warehouse

Prosperplast s.r.o.
CTPark Ostrava Hrušov
Bohumínská 710/198
711 00 Slezská Ostrava - Hrušov
Czech Republic

tel. +420 553 034 443
mob +420 605 499 544

info@prosperplast.cz
www.prosperplast.cz

Hungary

Office

Prosperplast Kft.
Tátra u. 5/a, alagsor 2.
1136-H Budapest,
Hungary

tel. +36 30 4095 120
mob +36 30 4095 710

office@prosperplast.hu
www.prosperplast.hu

Wszystkie prawa zastrzeżone przez Prosperplast 1 Spółka z o.o., a zawartość nie może być powielana, pobierana, rozpowszechniana, publikowana lub przekazywana w jakiegokolwiek formie i w jakikolwiek sposób, bez uprzedniej pisemnej zgody Prosperplast 1 Spółka z o.o.
Niniejszy katalog nie stanowi oferty w rozumieniu obowiązujących przepisów. Za błędy w druku nie odpowiadamy.

All rights are reserved by Prosperplast 1 Spółka z o. o. and content may not be reproduced, downloaded, disseminated, published, or transferred in any form or by any means, except with the prior written permission of Prosperplast 1 Spółka z o.o.
This catalogue does not constitute an offer within the meaning of applicable rules. We are not responsible for printing errors.



PEAKSNOW

www.prosperplast.pl

Prosperplast 1 Sp. z o.o.
Wilkowska 968
43-378 Rybarzowice
Poland